

# LED


## Lightsources



ASALITE LED - not only the light source of the future, but also of the present! The ASALITE brand also offers an alternative to a combination of high quality and long-term reliability for LED bulbs. Thanks to the LED chips used for the products, they are a stable solution for even, aesthetic and eye-pleasing interior lighting.

## ASALITE LED Lightsource A60 E27 7W 3000K/4000K/6500K 570 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



**A+**


- 7W ≈ 45W
- 570 LUMEN
- 320° LIGHTING ANGLE
- E27 SOCKET
- 25 000 HOURS
- 15 000 OFF ON

### TECHNICAL DETAILS

Consumption	7W (≈45W)
Socket	E27
Luminosity	570 lumen
Colour temperature	3000K/4000K/6500K
Lighting angle	320°
Size	60 x 110mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0031, ASAL0047 ASAL0132

## Asalite LED Lightsource A60 E27 9W 3000K/4000K/6500K 810 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



**A+**


- 9W ≈ 60W
- 810 LUMEN
- 320° LIGHTING ANGLE
- E27 SOCKET
- 25 000 HOURS
- 15 000 OFF ON

### TECHNICAL DETAILS

Consumption	9W (≈60W)
Socket	E27
Luminosity	810 lumen
Colour temperature	3000K/4000K/6500K
Lighting angle	320°
Size	60 x 112mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0011, ASAL0046 ASAL0108

## Asalite LED Lightsource A60 E27 12W 3000K/4000K/6500K 1055 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



**A+**


- 12W ≈ 75W
- 1055 LUMEN
- 320° LIGHTING ANGLE
- E27 SOCKET
- 25 000 HOURS
- 15 000 OFF ON

### TECHNICAL DETAILS

Consumption	12W (≈75W)
Socket	E27
Luminosity	1055 lumen
Colour temperature	3000K/4000K/6500K
Lighting angle	320°
Size	60 x 120mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0032, ASAL0045 ASAL0106

## Asalite LED Lightsource A65 E27 15W 3000K/4000K/6500K 1430 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



**A+**


- 15W ≈ 95W
- 1430 LUMEN
- 320° LIGHTING ANGLE
- E27 SOCKET
- 25 000 HOURS
- 15 000 OFF ON

### TECHNICAL DETAILS

Consumption	15W (≈95W)
Socket	E27
Luminosity	1430 lumen
Colour temperature	3000K/4000K/6500K
Lighting angle	320°
Size	60 x 125mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0052, ASAL0053 ASAL0107

## Asalite LED Lightsource A70 E27 18W 3000K/4000K/6500K 1620 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



**A+**




### TECHNICAL DETAILS

Consumption	18W (≈118W)
Socket	E27
Luminosity	1620 lumen
Colour temperature	3000K/4000K/6500K
Lighting angle	320°
Size	70 x 140mm
Dimmable	no
Lifetime	30 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	AsAL0147, AsAL0146, AsAL0148

## Asalite LED Lightsource R63 E27 10W 3000K/4000K 720 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



**A+**




### TECHNICAL DETAILS

Consumption	10W (≈50W)
Socket	E27
Luminosity	720 lumen
Colour temperature	3000K/4000K
Lighting angle	180°
Size	63 x 103mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0066, ASAL0067

## Asalite LED Lightsource G45 small globe E27 4W 3000K/4000K 350 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



**A+**




### TECHNICAL DETAILS


Consumption	4W (≈30W)
Socket	E27
Luminosity	350 lumen
Colour temperature	3000K/4000K
Lighting angle	180°
Size	45 x 75mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL00164, ASAL0057

## Asalite LED Lightsource G45 small globe E27 6W 3000K/4000K 510 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



**A+**




### TECHNICAL DETAILS

Consumption	6W (≈40W)
Socket	E27
Luminosity	510 lumen
Colour temperature	3000K/4000K
Lighting angle	180°
Size	45 x 75mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0058, ASAL0059



## Asalite LED Lightsource T45 stick E27 13W 3000K/4000K 1300 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.




**A+**

- 13W ≈ 88W
- 1300 LUMEN
- 320° LIGHTING ANGLE
- E27 SOCKET
- 25 000 HOURS
- 15 000 OFF ON

TECHNICAL DETAILS	
Consumption	13W (≈88W)
Socket	E27
Luminosity	1300 lumen
Colour temperature	3000K/4000K
Lighting angle	320°
Size	43,5 x 138,5mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0173, ASAL0174

## Asalite LED Lightsource E14 3W 3000K 340 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.




**A+**

- 3W ≈ 30W
- 340 LUMEN
- 320° LIGHTING ANGLE
- E14 SOCKET
- 25 000 HOURS
- 15 000 OFF ON

TECHNICAL DETAILS	
Consumption	3W (≈30W)
Socket	E14
Luminosity	340 lumen
Colour temperature	3000K
Lighting angle	320°
Size	22 x 60mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0121

## Asalite LED Lightsource C37 candle E14 4W 3000K/4000K 350 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.




**A+**

- 4W ≈ 30W
- 350 LUMEN
- 180° LIGHTING ANGLE
- E14 SOCKET
- 25 000 HOURS
- 15 000 OFF ON

TECHNICAL DETAILS	
Consumption	4W (≈30W)
Socket	E14
Luminosity	350 lumen
Colour temperature	3000K/4000K
Lighting angle	180°
Size	37 x 100mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0014, ASAL0063

## Asalite LED Lightsource C37 candle E14 6W 3000K/4000K/6500K 510 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.




**A+**

- 6W ≈ 40W
- 510 LUMEN
- 180° LIGHTING ANGLE
- E14 SOCKET
- 25 000 HOURS
- 15 000 OFF ON


TECHNICAL DETAILS	
Consumption	6W (≈40W)
Socket	E14
Luminosity	510 lumen
Colour temperature	3000K/4000K/6500K
Lighting angle	180°
Size	37 x 100mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0030, ASAL0068, ASAL0111

## Asalite LED Lightsource G45 small globe E14 5W 3000K/4000K 410 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



**A+**




### TECHNICAL DETAILS


Consumption	5W (≈35W)
Socket	E17
Luminosity	410 lumen
Colour temperature	3000K/4000K
Lighting angle	180°
Size	45 x 75mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0165, ASAL0060

## Asalite LED Lightsource R50 E14 5W 3000K/4000K 400 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



**A+**




### TECHNICAL DETAILS


Consumption	5W (≈35W)
Socket	E14
Luminosity	400 lumen
Colour temperature	3000K/4000K
Lighting angle	180°
Size	50 x 86mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0064, ASAL0065

## Asalite LED Lightsource T37 stick E14 7W 3000K/4000K 600 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



**A+**




### TECHNICAL DETAILS


Consumption	7W (≈47W)
Socket	E14
Luminosity	600 lumen
Colour temperature	3000K/4000K
Lighting angle	320°
Size	37 x 115mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0171, ASAL0172

## Asalite LED Lightsource GU10 3W 3000K/4000K 250 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



**A+**




### TECHNICAL DETAILS

Consumption	3W (≈25W)
Socket	GU10
Luminosity	250 lumen
Colour temperature	3000K/4000K
Lighting angle	120°
Size	50 x 60mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0049, ASAL0048

## Asalite LED Lightsource GU10 5W 3000K/4000K/6500K 410 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



**A+**


5W ≈ 35W	410 LUMEN	120° LIGHTING ANGLE	GU10 SOCKET	25 000 HOURS	15 000 OFF ON
----------------	--------------	---------------------------	----------------	-----------------	------------------

### TECHNICAL DETAILS

Consumption	5W (≈35W)
Socket	GU10
Luminosity	410 lumen
Colour temperature	3000K/4000K/6500K
Lighting angle	120°
Size	50 x 60mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0028, ASAL0029 ASAL0109

## Asalite LED Lightsource GU10 7W 3000K/4000K/6500K 560 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



**A+**


7W ≈ 45W	560 LUMEN	120° LIGHTING ANGLE	GU10 SOCKET	25 000 HOURS	15 000 OFF ON
----------------	--------------	---------------------------	----------------	-----------------	------------------

### TECHNICAL DETAILS

Consumption	7W (≈45W)
Socket	GU10
Luminosity	560 lumen
Colour temperature	3000K/4000K/6500K
Lighting angle	120°
Size	50 x 60mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0051, ASAL0050 ASAL0110

## Asalite LED Lightsource G4 1,5W 3000K/4000K 110 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



**A++**


1,5W ≈ 13W	110 LUMEN	320° LIGHTING ANGLE	G4 SOCKET	25 000 HOURS	12 500 OFF ON
------------------	--------------	---------------------------	--------------	-----------------	------------------

### TECHNICAL DETAILS

Consumption	1,5W (≈13W)
Socket	G4
Luminosity	110 lumen
Colour temperature	3000K/4000K
Lighting angle	320°
Size	12 x 37mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	12 V AC/DC, 50/60 Hz
Energy rating	A++
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0070, ASAL0071

## Asalite LED Lightsource G4 2W 3000K/4000K 220 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



**A++**


2W ≈ 22W	220 LUMEN	320° LIGHTING ANGLE	G4 SOCKET	25 000 HOURS	12 500 OFF ON
----------------	--------------	---------------------------	--------------	-----------------	------------------

### TECHNICAL DETAILS

Consumption	2W (≈22W)
Socket	G4
Luminosity	220 lumen
Colour temperature	3000K/4000K
Lighting angle	320°
Size	16 x 42mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	12 V AC/DC, 50/60 Hz
Energy rating	A++
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0097, ASAL0098

## Asalite LED Lightsource G9 3W 3000K/4000K 360 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



**A++**




### TECHNICAL DETAILS


Consumption	3W (≈35W)
Socket	G9
Luminosity	360 lumen
Colour temperature	3000K/4000K
Lighting angle	320°
Size	16 x 50mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A+
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0156, ASAL0157

## Asalite LED Lightsource G9 6W 3000K/4000K 600 lumen

The ASALITE brand offers in case of the LED bulbs too an alternative of a combination of high quality and long life. In addition to the classic residential use, it is also a perfect solution for hotels, schools, office buildings, hospitals and shopping centers.



**A++**



### TECHNICAL DETAILS

Consumption	6W (≈50W)
Socket	G9
Luminosity	600 lumen
Colour temperature	3000K/4000K
Lighting angle	320°
Size	19 x 64mm
Dimmable	no
Lifetime	25 000 hours
Circuit/Frequency	220-240V AC 50-60Hz
Energy rating	A++
Color rendering index (Ra)	> 80
Power Factor (Pf)	> 0,5
Product code	ASAL0158, ASAL0159

