

# ORIGINAL LINE H13

Original spare part



### The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

# Product datasheet

## Technical data

### Product information

|   |                        |
|---|------------------------|
| Application (Category and Product specific) | Halogen headlight lamp |
|---|------------------------|

### General Product Information

|                        |      |
|------------------------|------|
| Global order reference | 9008 |
|------------------------|------|

### Electrical Data

|                 |                         |
|-----------------|-------------------------|
| Power input     | 75 / 68 W <sup>1)</sup> |
| Nominal voltage | 12.0 V                  |
| Test voltage    | 13.2 V                  |

<sup>1)</sup> Maximum

### Photometric Data

|                         |              |
|-------------------------|--------------|
| Nominal luminous flux   | 1500/1000 lm |
| Luminous flux tolerance | ±15 / ±15 %  |

### Physical Attributes & Dimensions

|                |         |
|----------------|---------|
| Diameter       | 16.0 mm |
| Product weight | 33.00 g |
| Length         | 93.0 mm |
| Lamp base      | P26.4t  |

### Lifetime Data

|             |                             |
|-------------|-----------------------------|
| Lifespan B3 | 170 / 1290 hr <sup>1)</sup> |
| Lifespan Tc | 350 / 2590 hr <sup>1)</sup> |

<sup>1)</sup> Filament 1 / Filament 2

### Capabilities

|            |     |
|------------|-----|
| Technology | HAL |
|------------|-----|

### Certificates & standards

|              |     |
|--------------|-----|
| ECE category | H13 |
|--------------|-----|

### Environmental & Regulatory Information

|   |   |
|---|---|
| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |   |
| Date of declaration   | 09-07-2024                                    |
| Primary article identifier  | 4052899521957   4008321939401   4062172399005 |

## Product datasheet


|                                  |                                    |
|----------------------------------|------------------------------------|
| Candidate list substance 1       | No declarable substances contained |
| Declaration no. in SCIP database | In work                            |

### Logistical Data

| Product code  | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume                | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|-----------------------|--------------|
| 4052899269446 | ORIGINAL LINE H13   |                              | - x - x -                            | 54.63 dm <sup>3</sup> |              |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

| File  |
|---|
|  ref_pim_amsproduct360degreeimages ORIGINAL H13 9008 |

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM