

Product datasheet

DIADEM CHROME PY21W

Only amber during operation



Chrome design

Thanks to cutting edge interference and absorber coating



Amber when ON

Only amber when operating, otherwise almost invisible



Homogenous appearance

Reflector has a fully homogenous chrome look



The design light with chrome look

OSRAM DIADEM CHROME signal lamps have a strikingly exclusive design: their chrome look made possible by a cutting edge interference and absorber coating. The lamps emit amber light only when operational. At other times, they are almost invisible and have no irritating color effects. DIADEM CHROME lamps are ideal for all indicator lights with clear covers.

Product datasheet

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	7507DC
------------------------	--------


Electrical Data

Power input	25 W
Nominal voltage	12 V
Nominal wattage	21 W
Test voltage	13.5 V
Power input tolerance	±6 %

Photometric Data

Nominal luminous flux	280 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions



Diameter	25.0 mm
Product weight	8.00 g
Length	52.6 mm
Lamp base	BAU15s

Lifetime Data

Lifespan B3	100 hr
Lifespan Tc	250 hr

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	PY21W
Approval marks – approval	E1 approval

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)

Primary article identifier	4052899418011 4008321972774 4062172211529 4062172394857 4052899241657 4052899417977
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172394857	DIADEM CHROME PY21W	BLI ECO 2	95 mm x 27 mm x 135 mm	0.35 dm ³	27.00 g
4062172394864	DIADEM CHROME PY21W	Shipping carton box 20	156 mm x 144 mm x 110 mm	2.47 dm ³	324.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File
 User instruction GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM