

NIGHT BREAKER LASER H3

Halogen light with excellent brightness



Up to 150% more brightness

More light allows to see farther and therefore react sooner compared to the minimum legal standard




Up to 150m long beam

For better visibility



Up to 20% whiter light

More modern look compared to the minimum legal standard



Strong halogen light for high demands

Thanks to innovative laser ablation technology, NIGHT BREAKER LASER halogen headlight lamps shine up to 150% brighter compared to the minimum legal standard. The highly engineered filament ensures an extra light boost. Consequently, the lamps provide an up to 150m long beam and up to 20% whiter light compared to the minimum legal standard. More light and improved visibility can help drivers identify and react to traffic hazards more quickly. Last but not least: OSRAM NIGHT BREAKER LASER impresses with its unique design (laser-engraved product name) and complete portfolio (H1, H3, H4, H7, H8, H11, HB3, HB4).

Product datasheet

Technical data

Product information

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

General Product Information

Global order reference	64151NL
------------------------	---------

Electrical Data


Power input	68 W ¹⁾
Nominal voltage	12 V
Nominal wattage	55 W
Test voltage	13.2 V

¹⁾ Maximum

Photometric Data

Nominal luminous flux	1450 lm
Luminous flux tolerance	±15 %

Physical Attributes & Dimensions



Diameter	11.0 mm
Diameter	11.0 mm
Product weight	6.90 g
Length	42.0 mm

Lifetime Data

Lifespan B3	150 hr
Lifespan Tc	300 hr

Product datasheet

Capabilities

Technology	HAL
------------	-----

Certificates & standards

ECE category	H3
--------------	----

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)

Primary article identifier	4052899991637 405289999008 4052899991330 4058075141551 4062172114912 4062172388160 4062172257039
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899991330	NIGHT BREAKER LASER H3	FS ECO 1	25 mm x 23 mm x 70 mm	0.61 dm ³	9.00 g
—	4052899991354	NIGHT BREAKER LASER H3	Shipping carton box 100	245 mm x 145 mm x 140 mm	4.97 dm ³ 1015.00 g
	4062172114912	NIGHT BREAKER LASER H3	Hard Cover Box 2	113 mm x 48 mm x 105 mm	0.61 dm ³ 105.00 g
	4062172114929	NIGHT BREAKER LASER H3	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm ³ 609.00 g
	4062172388160	NIGHT BREAKER LASER H3	HFB ECO 2	100 mm x 51 mm x 120 mm	0.61 dm ³ 44.00 g
	4062172388177	NIGHT BREAKER LASER H3	Shipping carton box 10	266 mm x 111 mm x 134 mm	3.96 dm ³ 298.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File
 User instruction GPRS_Safety symbols instructions
 ref_pim_amsp_product360degreeimages NIGHT BREAKER LASER next gen H3 64151NL

Product datasheet

Legal advice

Light output compared to the minimum ECE R112/R37 requirements H4/H7/H8/H11/HB3/HB4

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM