

ROADSIGHT 50

1440p dash camera with wifi and OSRAMconnect



GPS

Tracks vehicle location and speed



140° field of view

Captures a wide view of the road



Wifi enabled

Easy data storage

OSRAMconnect

Connecting you with your car via app



Compact dashcam for high-resolution recordings

An installed OSRAM ROADsight 50 dashcam can offer peace of mind while driving in your car. With a full 1440p 30fps resolution and 140-degree lens, get high quality recordings with a wide view of the road and pick up features easily such as number plates and road signs. With WiFi and OSRAMconnect compatibility, easily access footage and images you might need in the future. Track your vehicle's location and speed with the GPS feature. Compact and sleek design can keep drivers from being distracted by the camera keeping your eyes on the road.

If your car has a collision whilst it is parked, parking mode switches the dashcam on to record anything that's going on around your car within the 140° field of view. Automatically save footage from your dashcam when a collision occurs to save evidence for later use. Save up to 128 GB of footage with an SD card.

A magnetic mount and trim removal tool allow for easy installation.

SD card not included.

Product datasheet

Technical data

Product information


Resolution	1440p
FPS	30 ¹⁾
FOV	140 ²⁾
Memory size up to	128 GB
G-Sensor	Yes ³⁾
GPS	Yes

1) Frames per second

2) Field of View

3) Shock sensor

Physical Attributes & Dimensions



Length	390.0 mm
Width	195.0 mm
Height	150 mm

In-Box Accessories

Trim removal tool in box	Yes
Warning window sticker in box	Yes
DUAL USB charger (5V, 3A)	Yes
USB cable for power	Yes

Hardware Features

Mount Type	Magnetic
Screen Size	No screen
Touchscreen	No

Product datasheet

Software Features

Bluetooth	No
B&W Night Vision	Yes
Wi-Fi	Yes
Parking Mode	Yes
Speed Limit Alarm	No
License plate in FW	Yes

Environmental & Regulatory Information





Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Candidate list substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration no. in SCIP database	a82606e9-77b6-4063-a902-f939bc05283b 7c1a6edd-0e74-457e-ad0f-6533cd366062 da4bf785-d964-4d2e-ae84-3c54ff101480

Logistical Data





Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172182744	ROADSIGHT 50	Folding carton box 1	182 mm x 121 mm x 87 mm	2.29 dm ³	176.00 g
4062172182751	ROADSIGHT 50	Shipping carton box 4	374 mm x 190 mm x 168 mm	11.94 dm ³	950.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File
 User instruction ROADsight 50 (CZ)
 User instruction ROADsight 50
 User instruction ROADsight 50
 User instruction ROADsight 50 (HU) (EN)

Product datasheet

	Movie application RoadSight How-To-Video (EN)
	Movie application RoadSight How-To-Video (ITA)
	Product movie OSRAM ROADsight 50 Product Video (DE)
	Product movie OSRAM ROADsight 50 Product Video (EN)

Legal advice

Please note: Individual special requirements and legislation of the countries must be observed, especially concerning the duration of the records/use and the transfer of data. Please make yourself familiar with the data protection laws of your country and ensure that you comply with them.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM