

# Lamps with metal bases PY21W

Original spare part



### The cost-effective original spare parts

ORIGINAL signal lamps with metal bases feature - like all ORIGINAL products from OSRAM - a reliable OEM quality. Due to the wide product range, the lamps can be used as original spare lamps for different applications.

# Product datasheet

## Technical data

### Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

### General Product Information

Global order reference	7507
------------------------	------


### Electrical Data

Power input	25 W
Nominal voltage	12.0 V
Nominal wattage	21 W
Test voltage	13.5 V
Power input tolerance	±6 %

### Photometric Data

Nominal luminous flux	280 lm
Luminous flux tolerance	±20 %

### Physical Attributes & Dimensions



Diameter	25.0 mm
Product weight	8.00 g
Length	52.6 mm
Lamp base	BAU15s

### Lifetime Data

Lifespan B3	250 hr
Lifespan Tc	500 hr

## Product datasheet

### Capabilities

Technology	AUX
------------	-----

### Certificates & standards

ECE category	PY21W
Approval marks – approval	E1 approval

### Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4008321652911   4062172396363   4062172051231   4062172049962   4062172396349   4052899531178   4008321536013   4008321417541   4062172188463   4008321618603   4050300891477   4062172072304   4062172188425   4062172188449   4062172200967   4050300925462   4052899137455
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

### Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4050300891477	OSRA7507	-	-	-
4050300925462	OSRA7507BLI2	-	4730329	-

### Logistical Data



Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300891477	ORIGINAL - METAL BASE PY21W	Unpacked 1	25 mm x 25 mm x 52 mm	0.18 dm <sup>3</sup>	8.00 g
4008321091000	ORIGINAL - METAL BASE PY21W	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm <sup>3</sup>	560.00 g
4050300925462	ORIGINAL - METAL BASE PY21W	Blister 2	95 mm x 70 mm x 18 mm	0.18 dm <sup>3</sup>	21.00 g
4008321140517	ORIGINAL - METAL BASE PY21W	Shipping carton box 20	280 mm x 80 mm x 103 mm	2.31 dm <sup>3</sup>	265.00 g
4062172396349	ORIGINAL - METAL BASE PY21W	Blister 2	70 mm x 27 mm x 95 mm	0.18 dm <sup>3</sup>	28.00 g
4062172396356	ORIGINAL - METAL BASE PY21W	Shipping carton box 20	164 mm x 124 mm x 78 mm	1.59 dm <sup>3</sup>	314.00 g

## Product datasheet

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Download Data

File	
	User instruction GPRS_Safety symbols instructions
	ref_pim_ams_p_product360degreeimages ORIGINAL PY21W 7507

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM